

**CHEMISTRY 11  
UNIT IV TEST REVIEW**

YOUR UNIT IV TEST IS SCHEDULED FOR \_\_\_\_\_  
The format of the test will be 40 marks multiple choice and 30 marks short answer. Your test will also include 20 % of flashback questions from the previous units. In order to help you prepare for your test you must complete the following package and hand it in at start of class on the day of the test.


There are FIVE Parts to this unit:

1. Moles, atoms, molecules, grams and volume @STP
2. Molar Mass and Percent Composition
3. Empirical Formula + Molecular Formula
4. Molarity
5. Dilution

PART I: Moles, atoms, molecules, grams and volume at STP

1. State Avogadro's Hypothesis  
**Equal volumes of gases at the same temperature and pressure will have equal number of particles**
2. What is a mole?  
 $6.02 \times 10^{23}$  of something

3. Draw the MOLE IS THE HEART OF CHEMISTRY diagram:



4. How many molecules of potassium carbonate are in a 341.2 g sample?  
 $\# \text{M.C.} = 341.2 \text{g} \times \frac{1 \text{mol}}{138.24 \text{g}} \times \frac{6.02 \times 10^{23} \text{m.c.}}{1 \text{mol}}$   
 $= 1.44 \times 10^{24} \text{m.c.} K_2CO_3$
5. How many moles are there in a 65.0 g sample of Copper (II) Sulfate?  
 $\# \text{Mole} = 65.0 \text{g} \times \frac{1 \text{mol}}{159.6 \text{g}} = 0.407 \text{ mol CuSO}_4$
6. How many oxygen atoms are in  $2.53 \times 10^{-13}$  moles H<sub>2</sub>O?  
 $\# \text{O atoms} = 2.53 \times 10^{-13} \text{ mol H}_2\text{O} \times \frac{6.02 \times 10^{23} \text{ m.c.}}{1 \text{mol}}$   
 $\times \frac{1 \text{mol O}}{10 \text{ atoms}} = 1.52 \times 10^{11} \text{ atoms O}$
7. How many molecules of SO<sub>2</sub> are present in a 950 L of SO<sub>2</sub>(g) at STP?  
 $\# \text{M.C.} SO_2 = 9.50 \text{L} \times \frac{1 \text{mol}}{22.4 \text{L}} \times \frac{6.02 \times 10^{23} \text{ m.c.}}{1 \text{mol}}$   
 $= 2.55 \times 10^{23} \text{ m.c. SO}_2$
8. What is the volume occupied by  $3.25 \times 10^{14}$  molecules of methane gas (CH<sub>4</sub>) at STP?  
 $\# L = 3.25 \times 10^{-13} \text{ m.c.} \times \frac{1 \text{mol}}{6.02 \times 10^{23} \text{ m.c.}} \times \frac{22.4 \text{ L}}{1 \text{mol}}$   
 $= 1.121 \times 10^{-35} \text{ L CH}_4$
9. How many chloride atoms are contained in 15.6 grams of iron (III) chloride?  
 $\# \text{atoms Cl} = 15.6 \text{g FeCl}_3 \times \frac{1 \text{mol}}{162.3 \text{g}} \times \frac{6.02 \times 10^{23} \text{ m.c.}}{1 \text{mol}}$   
 $\times \frac{3 \text{Cl atoms}}{1 \text{Fe atom}} = 1.74 \times 10^{23} \text{ atoms Cl}$
10. How many atoms are there in 196.0 grams of Silver?  
 $\# \text{atoms Al} = 196.0 \text{g} \times \frac{1 \text{mol}}{107.8 \text{g}} \times \frac{6.02 \times 10^{23} \text{ atoms}}{1 \text{mol}}$   
 $= 1.549 \text{ atoms Ag} \approx 6 \text{ atoms Ag}$

PART II: MOLE MASS AND PERCENT COMPOSITION

1. Calculate the molar mass of the following molecules:



a. Cu(NO<sub>3</sub>)<sub>2</sub>

b. (NH<sub>4</sub>)<sub>2</sub>PO<sub>4</sub>


c. K<sub>2</sub>SO<sub>4</sub> · 12H<sub>2</sub>O

- a. 1Cu + 2N + 6O = 187.5g  
 $\% \text{Cu} = \frac{33.9\%}{33.9\%} \cdot \% \text{N} = \frac{14.9\%}{14.9\%} \cdot \% \text{O} = 51.2\%$
- b. 3N + 12H + 1P + 4O = 149.0g  
 $\% \text{N} = 28.2\% \quad \% \text{H} = 8.1\%$
- c. P = 20.8g  
 $\% \text{O} = \frac{42.9\%}{42.9\%}$
- c. 1K + 1Al + 2S + 24H + 2O = 1474.3g  
 $\% \text{K} = \frac{8.2\%}{8.2\%} \quad \% \text{Al} = \frac{5.7\%}{5.7\%} \quad \% \text{S} = \frac{13.5\%}{13.5\%}$   
 $\% \text{H} = \frac{51.9\%}{51.9\%} \quad \% \text{O} = \frac{67.5\%}{67.5\%}$

2. Calculate the percent composition of each element in the above molecules:







3. What is the percent composition of water in  $\text{KAl}(\text{SO}_4)_2 \cdot 12\text{H}_2\text{O}$ ?





Part III: EMPIRICAL FORMULA AND MOLECULAR FORMULA

1. Find the Empirical Formula for the following compounds:



2. A gas has the percent composition: 30.4% N and 69.6% O. If the density of the gas is 4.11 g/L at STP, what is the molecular formula of the compound?



3. A gas has an empirical formula  $\boxed{\text{CH}_2}$ . If 500.0 mL of the gas at STP has a mass of 0.983 grams, what is the molecular formula of the compound?

$$e.m. = 14 \text{ g} \\ \text{m.m.} = \frac{0.983 \text{ g}}{0.500 \text{ L}} \times \frac{22.4 \text{ L}}{1 \text{ mol}} = 44.09 \\ M = \frac{\text{m.m.}}{e.m.} = \frac{44.09}{14} = 3 \boxed{\text{C}_2\text{H}_4}$$

Part V: MOLARITY  
 1. What is the molarity of the solution when 3.25 grams of  $\text{NaCl}$  is dissolved in 500.0 mL?

$$M = \frac{3.25 \text{ g}}{500.0 \text{ mL}} \times \frac{1 \text{ mol}}{10^{-3} \text{ L}} \times \frac{38.5 \text{ g}}{58.5 \text{ g}} \times \frac{1 \text{ mol}}{1 \text{ mol NaCl}} = \boxed{0.111 \text{ M}}$$

2. How many moles of  $\text{K}_2\text{SO}_4$  are needed to make a 0.300 M solution with a volume of 100.0 mL?

$$\# \text{ mol} = 0.300 \text{ M} \times 100.0 \text{ mL} \times \frac{10^{-3} \text{ L}}{1 \text{ mL}} \\ = \boxed{10.03 \text{ mol K}_2\text{SO}_4}$$

3. How many grams are needed to prepare a 11.0 mL solution of 0.0200 M  $\text{MgCr}_2\text{O}_7$ ?

$$\# \text{ g} = 11.0 \text{ mL} \times 0.0200 \text{ M} \times \frac{10^{-3} \text{ L}}{1 \text{ mL}} \times \frac{240.3 \text{ g}}{1 \text{ mol}} \\ = \boxed{0.05299 \text{ MgCr}_2\text{O}_7}$$

4. What is the molar concentration when 24.2 g of  $\text{Fe}_2(\text{SO}_4)_3$  is dissolved in 250.0 mL of water?

$$\# \text{ M} = \frac{24.2 \text{ g}}{250.0 \text{ mL}} \times \frac{1 \text{ mol}}{10^{-3} \text{ L}} \times \frac{1 \text{ mol}}{367.8 \text{ g}} \\ = \boxed{0.263 \text{ M Fe}_2(\text{SO}_4)_3}$$

5. What is the volume required to make a 6.0 M  $\text{NaOH}$  solution from 120.5 grams  $\text{NaOH}$ ?

$$\# \text{ L} = \frac{6.0 \text{ M}}{120.5 \text{ g} \times \frac{1 \text{ mol}}{46 \text{ g}}} = \boxed{2.0 \text{ L NaOH}}$$

Part V: DILUTION

1. What volume of 2.0 M HCl is required to make 750.0 mL of 0.240 M HCl?

$$VF = \frac{0.7500 \text{ L} \times 0.240 \text{ M}}{2.0 \text{ M}} = \underline{\underline{10.090 \text{ L HCl}}}$$

2. What is the final concentration of KBr when 25.0 mL of 5.0 M KBr is mixed with 135.0 mL of 0.250 M KBr?

$$MFA = \frac{0.1350 \text{ L} \times 5.0 \text{ M}}{0.160 \text{ L}} = \underline{\underline{0.78125 \text{ M KBr}}}$$

3. When 75.0 mL of 0.500 M BaCl<sub>2</sub> is mixed with 85.0 mL of 1.25 M BaCl<sub>2</sub>.

$$MFB = \frac{0.0750 \text{ L} \times 0.500 \text{ M}}{0.160 \text{ L}} + \frac{0.0850 \text{ L} \times 1.25 \text{ M}}{0.160 \text{ L}} = \underline{\underline{10.234 \text{ M BaCl}_2}}$$

b. What is the final concentration of CaCl<sub>2</sub>?

$$MFC = \frac{0.0850 \text{ L} \times 1.25 \text{ M}}{0.160 \text{ L}} = \underline{\underline{0.664 \text{ M CaCl}_2}}$$

QUESTIONS THAT TIE IT ALL TOGETHER:

1. How many moles of Cu are contained in a 289 mL sample if the density is 13.6 g/mL?

$$\# \text{ mol Cu} = \frac{13.6 \text{ g}}{1 \text{ mL}} \times 289 \text{ mL} \times \frac{1 \text{ mol}}{63.5 \text{ g}} = \underline{\underline{61.9 \text{ mol Cu}}}$$

2. What is the volume occupied by 3.2 moles of methane (CH<sub>4</sub>) if the density of methane is 0.987 g/mL?

$$\# \text{ L} = 3.2 \text{ mol} \times \frac{16.0 \text{ g}}{1 \text{ mol}} \times \frac{1 \text{ mL}}{0.987 \text{ g}} = \underline{\underline{10.052 \text{ L CH}_4}}$$

3. How many chlorine atoms are present in 125.0 mL of 0.0321 M NaCl?

$$\# \text{ atoms} = \text{Cu}^+ = 0.1250 \text{ L} \times 0.0321 \text{ M} \times \frac{6.2 \times 10^{23}}{1 \text{ mol}} \times \frac{1 \text{ atom Cu}}{1 \text{ mol NaCl}} = \underline{\underline{12.41 \times 10^{21} \text{ atoms} = \text{Cl}^-}}$$

4. How many oxygen atoms are present in 110.0 mL of 0.200 M MgCr<sub>2</sub>O<sub>7</sub>?

$$\# \text{ atoms} = \text{o} = 0.1100 \text{ L} \times 0.200 \text{ M} \times \frac{6.2 \times 10^{23}}{1 \text{ mol}} \times \frac{7 \text{ atoms o}}{1 \text{ mol MgCr}_2\text{O}_7} = \underline{\underline{4.27 \times 10^{22} \text{ atoms o}}}$$

5. How many HBr molecules are present in 25.0 mL of 0.185 M HBr?

$$\# \text{ Molecules HBr} = 0.0250 \text{ L} \times 0.185 \text{ M} \times \frac{6.02 \times 10^{23}}{1 \text{ mol}} = \underline{\underline{2.78 \times 10^{21} \text{ molecules HBr}}}$$

HERE IS A CHALLENGE!!!

6. How many NaCl molecules are present in the final solution when 15.0 mL of 2.50 M NaCl is mixed with 75.0 mL of 0.500 M NaCl?

$$MFA = \frac{0.0150 \text{ L} \times 2.50 \text{ M}}{0.0900 \text{ L}} = \underline{\underline{0.41667 \text{ M}}} + \frac{0.0750 \text{ L} \times 0.500 \text{ M}}{0.0900 \text{ L}} = \underline{\underline{0.41667 \text{ M}}} = 0.41667 \text{ M}$$

$$\# \text{ mol NaCl} = 0.833 \text{ M} \times 0.0900 \text{ L} = \underline{\underline{0.0750 \text{ mol NaCl}}}$$

$$\# \text{ mol NaCl} = 0.0750 \text{ mol} \times \frac{6.02 \times 10^{23}}{1 \text{ mol}} = \underline{\underline{4.52 \times 10^{22} \text{ molecules NaCl}}}$$

