7 Changes to Canadian WHMIS Symbols

The 2015 update, then, gave a new look to the WHMIS symbols, replacing the old black and white circles with the red, pointed borders. It also replaced a letter-based classification system with clear and concise descriptions of the hazards they entail.

WHMIS Chemical Hazards Pictograms 2015

WHMIS 1988 Hazard Class	WHMIS 1988 Symbols	WHMIS 2015 Symbols	WHMIS 2015 Hazard Class	
A	0	\Diamond	Gases Under Pressure	
Bl to B6	(b)	(3)	Flammables, Self-Heating, Emit Flammable Gases, Pyrophoric Gases, Liquids & Solids Organic Peroxides	
C	(a)	(2)	Oxidizing Gases, Liquids, Solids	
Dl ,	B		Acute Toxicity - Oral, Dermal, Inhalation	
D2	1	\$	Eye Irritation, Skin Irritation Skin/Respiratory Sensitization, Carcinogenicity Mutagenicity Reproductive Hazards	
D3			Biohazardous Infectious Materials	
15	3		Skin/Eye Corrosion Corrosive to Metals	
F	(F)		Self-Reactive Substances Organic Peroxides	
N/A	N/A		Explosive Substances (Explosives are still covered under WHMIS exclusions for now)	
N/A	N/A	\$	Aspiration; STOT (Single Exposure, Repeated Exposure)	
N/A	N/A	N/A	Combustible Dusts	
N/A	N/A	N/A	Simple Asphyxiants	
NVA	N/A	Use appropriate symbol	Physical Hazards Not Otherwise Classified, Health Hazards Not Otherwise Classified	

WHMIS 2015 Symbols

Look carefully at the WHMIS (Workplace Hazardous Materials Information System) safety symbols shown here. These WHMIS symbols are used throughout Canada to identify dangerous materials. Make certain you understand what these symbols mean. When you see these symbols on containers, use safety precautions. It is also important to know that WHMIS symbols were updated in 2015. So, older textbooks or chemical containers may have the previous symbols. Those symbols are being replaced with the ones below.

Symbol	Descriptor	Meaning	
	Compressed gas	For gases under pressure	
	Flammable	For fire hazards	-
	Oxidizer	For oxidizing hazards	e
	Acute toxicity	Can cause death or toxicity with short exposure to small amounts	, <u>s</u>
	Health hazard	May cause or be suspected of causing serious health effects	_
<u>(i)</u>	Exclamation mark	Can cause irritation to skin and eyes	_
(I)	Corrosive	For corrosive damage to metals, as well as skin and eyes	
	Explosive	For explosion or reactivity hazards	A
®	Biohazardous infectious materials	For organisms or toxins that can cause diseases in people or animals	
**	Environmental hazard	May cause damage to the environment	

^{*}Environmental hazards are not regulated under WHMIS, but are regulated by the Globally Harmonized System. This symbol may appear on products from other countries.

You're Watching Out For You - WHMIS Safety Unit

What is this thing called "WHMIS"?

- WHMIS stands for WORKPLACE HAZARDOUS MA-FRIAL LEDRINGTION
- It is an <u>information</u> <u>system</u> to help workers and students know more about safety and health hazards of material that they use in the workplace and in school.
- WHMIS gives people key _ — information in the form of special Labels, symbols, and Material Safety Data Sheets (MSDS).
- You will come across <u>controlled products</u> that fall under the WHMIS legislation at <u>school</u> (for example, the chemicals used in your science and shop class), and at any <u>workplace</u> where chemicals are used.

WHMIS Labels

- All controlled products at school or the workplace must have WHMIS _ ১০৪ছ ১ ব
- The purpose of a WHMIS label is to identify the product as controlled and alert workers or handlers to the
 - The MSDS provides more detailed information.
- Read the whole label <u>before using a product for the first time</u>.
- The label will briefly tell you:
 - name of the chemical
 - the WHMIS hazard symbols
 - risks and precautions
 - first aid instructions
 - supplier's name and address
 - a reference to the matching MSDS stating that more information is available

DET BLACK SPRAY PARTY PERITURE A VAPORISER "JET!" CCK" Strin formation in processing the processing of the processing o

Sample supplier label

The WHMIS Symbols

The shapes of the symbols used on labels have been chosen to show the nature of the hazard they represent

	the Hazard triey represent.	
Class A	COMPRESSED GAS	
	" It is a GAS kept under PDESSURE.	
	Heat may cause the container to	
	A drop or impact may cause the container to explode.	
	e.g. steel cylinders of acetylene, oxygen, hydrogen, helium, chlorine,	
	nitrogen, neon, argon etc. and fire extinguishers. Compressed gases	
	can be hazardous simply because they are under high pressure, and	
	the gas itself can also be hazardous (like chlorine gas). If the gas	
	itself is hazardous, it will have other appropriate hazard symbols	
	along with the compressed gas symbol.	
	 Handle with care, do not drop. Keep away from heat or potential 	
	sources of ignition. Store in a designated area. Large cylinders must	
	be properly secured with a chain.	
Class B	FLAMMABLE AND COMBUSTABLE MATERIALS	
	 The material is a potential <u>type</u> hazard. It may burn at 	
	relatively temperature. Sparks, flame or friction	M. M.
	could ignite it.	400
	May burst into flame spontaneously in air or release a flammable	
	gas on contact with water.	
	Division 1: Flammable Gases: e.g. hydrogen, methane, propane.	
	Division 2: Flammable Liquids (Flashpoint less than 37°C). These	1

	liquids catch on fire easily and have highly flamable fumes. e.g. gasoline, ethanol, methanol, diethyl ether. Division 3: Combustible Liquids: (Flashpoint > 37°C) e.g. diesel fuel, kerosene. These are less easily ignited than flammable liquids. Division 4: Flammable Solids: e.g. magnesium, sodium, beryllium Division 5: Flammable Aerosols: e.g. most aerosol cans contain flammable propellants, also butane, propane in aerosol containers. Division 6: Flammable Reactive Materials: materials that could spontaneously ignite in air (e.g. celluloid, lithium aluminum hydride) or in water (e.g. sodium). Keep any of these materials away from heat sources and other combustible materials. Never smoke when working with or near the material. Store in a cool, fire-proof area.	
010	OXIDIZING MATERIALS	
Class C	The material is a fire or explosion risk near flammable or combustible material. May skin or eyes on contact. An oxidizing material may or may not itself burn, but will release or another oxidizing substance, and thereby causes or helps a flammable or combustible material to burn, e.g. sulphuric acid, perchloric acid, hydrogen peroxide, sodium peroxide, benzoyl peroxide, permanganates, dichromates, perchlorates, chlorine and bleach.	(9)
	 Keep the material away from combustible materials and store in designated areas. Keep the material away from sources of ignition. Never smoke when working near the material. Wear proper protective equipment, including eye, face and hand protection and protective clothing. 	
Class D	POISONOUS AND INFECTIOUS MATERIAL	
	The material is a potentially poisonous substance. It may be fatal or cause permonent damage if it is inhaled, swallowed or absorbed through skin. May burn skin or eyes on contact. Division 1: Materials Causing Immediate and Serious Toxic Effects These materials are immediately dangerous to life and health. They can kill you property ! Products which cause such effects have low LD50 values (the dose needed to kill 50% of a group of experimental animals). This division has two subdivisions: A) Very Toxic Material - e.g. potassium cyanide, strychnine, hydrogen cyanide, hydrogen sulphide, carbon monoxide, bromine, phosgene. B) Toxic Material - e.g. sodium fluoride, formaldehyde. Handle the material with extreme caution. Avoid contact with the skin or eyes, use proper protective clothing. Avoid inhaling by working in well-ventilated areas and/or wearing respiratory equipment. Wash and shower thoroughly after using. Store in designated areas only.	
Class D	Division 2: Materials Causing Other Toxic Effects ■ The material is poisonous but not immediately dangerous to health. It may cause death or permanent damage as a result of □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	(1)
	health effects that are not immediate; such as allergies, asthma, cancer, organ damage, birth defects, sterility, or other serious illness or disease. Usually the effects result from repeated exposure	

	to the substance in the workplace over a long period of time. e.g repeated exposure to benzene, asbestos. Avoid skin and eye contact by wearing all protective equipment necessary including eye, face and hand protection and protective clothing. Avoid inhaling by working in well-ventilated area and/or using respiratory equipment. Store in designated areas.	
Class D	Division 3: Biohazardous Infectious Material This includes any organisms (like bacteria and) and the toxins they may produce that are believed to cause disease. e.g. anthrax (in meat handling), salmonella, hepatitis B virus, AIDS virus, certain fungi and moulds etc., contaminated blood and pathogenic bacteria cultures.	
Class E	CORROSIVE MATERIAL Caustic or acid materials that can eat through the or corrode metals like aluminum or steel. e.g.: chromic acid, sulphuric acid, nitric acid, sodium hydroxide, hydrofluoric acid, some household cleaners, water treatment chemicals, photographic chemicals, lye. This class also includes corrosive gases such as ammonia and the acids hydrogen fluoride, hydrogen chloride, hydrogen iodide and hydrogen bromide.	
Class F	Products which undergo	

Not all products are controlled by the WHMIS legislation, and so they might not have these labels or use the exact same symbols as WHMIS.

These products use the International Safety Symbols you see below

	Day 15 500	Symbols you see below.	
	DANGER	WARNING	CAUTION
Poison			
Flammable			WAS TO SERVICE OF THE PARTY OF
Explosive			

Corrosive







- Note that the border that surrounds each symbol signifies how dangerous the hazard is.
- An OCTAGON (same shape as a stop sign) indicates "DANGER" and represents the Most dangerous hazard.
- A four-sided diamond ("WARNING") indicates a moderate or hazard level. Thus, a warning diamond does not pose as extreme a risk as the danger octagon.
- The upside-down triangle ("CAUTION") represents the slightest or ______ hazard of the three borders (but of course, that does not make it hazardless! Use such products with caution).

Material Safety Data Sheets (MSDS)

- An MSDS is a sheet that gives more detailed technical information about the product. It is broken up into nine sections for the following information.
- Employers must keep MSDS's on hand and up to date (no older than 3 years).

Safety In The Science Classroom

- Never begin an experiment or lab without your teacher's PERMISSION.
- Read and study the procedure from start to finish 2. beginning any experiment. If you have BEFORE any questions, ask your teacher. Make sure you understand any safety symbols on materials you will be using, and the hazards they represent. Follow the procedure exactly as specified.
- Always wear safety GOGGLES throughout a lab that 3. requires chemicals. Keep the goggles on for as long as there are any chemicals being used by anyone in the lab. Do not take your goggles off or move them from your

eyes (for example, to write down observations) at any time during the lab. Where other safety equipment, such as aprons, gloves, lab coats, as required.

4	-4	eat or drink anything in the lab. Do not chew gum during labs.
4.	DO NOT	eat or drink anything in the lab. Bo not show and to small a char
5	Never www.	chemicals. Use the "wafting" technique if you need to smell a chemicals.

nical. Do not taste any substances or draw any material into a tube with your mouth.

If you are taking chemicals from one container and putting them into smaller containers, make sure you 6. label all the containers.

Do not pour liquids while holding the containers close to your _______ 7. test tube rack before pouring liquids into them.

Use only Pyrex or Kimax glass containers when heating. Never use chipped or cracked glasswear. 8. dry. .

Never allow a container to _______ all chemical spills to your teacher. All chemical spills must be cleaned up 9. completely and immediately. Wipe up any splashes or spills of water immediately.

Use test tube holder and always slant test tubes away from yourself and others when heating them. 10. Keep materials away from flames. Follow all instructions for using Bunsen burners carefully.

Be very wary of hotplates - you can't tell by looking if they are hot, but they can remain hot for up to 11. after being turned off. To see if one is still hot, don't touch it! Instead, carefully one HOUR put a drop of water on its surface. If the water bubbles or boils, the hot plate is too hot to touch!

Make sure your hands are dry when using electrical equipment. Unplug electrical cords by pulling on 12.

CONTRACTOR OF	SECTION	1-PRODUC	गान् समार	ATION AND I		
ers t					1=	~
est ;						
LINCOLUNI NAME			Par 100			
ET ANELL			STREET ADOLES	4		
	ROMA		lan.		PROPER	•
14 000E	Sales Sales	(Florida d)	Prist's COOK		-	H. Minne A.
	. SEC	TON2 - HA	ZARDOUS INI	GREDIENTS		transport of the
ALTHOUGH ME	NORTH THE REST		-		West I	AND PROPERTY.
				1		
			+			
		+	-	 		
			ć			
		SECTIONS-	- BHYSICAL	1010100		
TEM RAY	100A 00 005 all			1	WW 700	nan-sa
	Briston.	-	E MIL I	A ME WORTO	PRI LOUIS OF	OW/0
	1					
	DESC SERVI	CON G	MARKET TO SERVICE			
•••	Page and			OS ON DATA	ligation:	84 Teach (19 8)
	515			OS ON DATA	lia lise	•
	1515			OS ON DATA		MINISTERNA .
	515			OS ON DATA		
	SEC	TION 4—(FIR	EAND EXPL	OS ON DATA		
	SEC	T(D))4—GIT	EAND EXPL			
	SEC	T(D))4—GIT	EAND EXPL			- 100
	PACE DESCRIPTION OF SECOND PROPERTY SECOND PRO	TIONA—FIF	Description conditions and the second conditions of the second conditi	TO DIFFE ENDINGS		- T (M
	POST OF SECONDARY	T(D))4—GIT	Description conditions and the second conditions of the second conditi	TO DIFFE ENDINGS		
	FINANCE COMMANDER OF THE PROPERTY OF THE PROPE	TIONA—FIF	Description conditions and the second conditions of the second conditi	TO DIFFE ENDINGS		· ·
	FINANCE COMMANDER OF THE PROPERTY OF THE PROPE	TIONA—FIF	Description conditions and the second conditions of the second conditi	TO DIFFE ENDINGS		
	to press. John James A. John James A. John J. John J.	TIONA—FIF	Description conditions and the conditions of the condition of the conditions of the conditions of the conditions of the	N STATE STOWN		

the plug, not the cord. Don't use equipment with frayed wires or cords. Report any defective equipment or outlets to your teacher.

When cutting materials, follow the following guidelines: 13.

do not cut anything with a scalpel or razor blade by holding it in one hand while cutting it with the other. Always put the item down (for example, into a dissecting tray) on a flat surface. Hold it down with PIUS or clamps, not your fingers.

always cut AWAY from yourself and away from others when using a scalpel.

when walking with or handing over a scalpel or sharp or pointed object, keep the sharp or pointed surface facing the floor away from people.

14. Tie back long LAND and loose clothing.

When holding a bottle from which you are going to pour chemicals, keep the label against the palm of 15. your hand. If everyone does this, any drips will only touch the opposite side of the bottle, and not get on your hand.

When diluting acid, always add small amounts of acid to large amounts of water. 16. _

- Know the Laconon and proper use of the fire extinguisher, safety shower, fire blanket, first 17. aid kit, and fire alarm.
- If your clothing catches on fire, sworter it with the fire blanket or a coat. "Stop, Drop, and 18. Roll" -- NEVER RUN.
- Report any accident or injury, no matter how small, to your teacher. 19.

20. When cleaning up, be sure to:

turn off gas if it was used and disconnect electrical apparatus.

Return all materials to their proper places.

- Do not return unused chemicals to the original containers. Your teacher will tell you what to do with unused chemicals and how to dispose of any other materials. Never pour unused chemicals down the drain without permission from your teacher.
- Place any broken glass in the container(s) reserved for broken glass. Do not put broken glass in the regular garbage.

Clean and dry your work area. Do not leave water on the counter or floor.

What to do First if You or a Classmate is Injured

Injury	What to Do First				
Burns	Immerse injury in cold ware . Inform your teacher.				
Cuts and bruises	Stop any bleeding by applying direct Cover with a sterile or clean dressing. Apply cold compresses to bruises. Inform your teacher.				
Fainting	Keep the person lying down any tight clothing and keep others from crowding around. Inform your teacher.				
Chemicals or Foreign matter in eye	Flush with running water for at least 5 minutes. Inform your teacher.				
Poisoning	the suspected poison and call your teacher immediately.				
Spilling Chemicals on skin	Remove contaminated clothing. Flush with running water for at least 5 minutes. Inform your teacher.				

You and Your First Job! There are Risks. Did you know...

Young people like you are at the HIGHEST risk for getting injured on the job. Every 13 minutes in an eight hour working day, one young worker is injured. In 1995, 13,000 injury claims were made to WCB by people aged 15 to 24, and 12 people died of workplace injuries in B.C. Most of these injuries to young people within two weeks of starting their job!

Often, the reason these young people get injured is because they don't ask enough questions about how

to do their work safely.

5 Questions To Ask Your Employer Before You Start a New Job

- 1. Are there any risks or hazards I should be aware of in my job?
- Are there any health and safety procedures I should follow?
- What safety gear will I be expected to wear?
- 4. When will I receive job safety training?
- 5. If I get hurt, who is the first aid person?
- If you are given a chemical to use, at home, school, or work, you should read the label and understand the risks <u>before</u> you use it. You should also <u>ask your teacher or supervisor questions</u> about the material, such as the following:
- Is it flammable?
- Are the fumes dangerous?
- What are the health hazards?
- Do I need to wear gloves or eye protection?
- If you have <u>questions</u> that you need help answering, call the Worker's Compensation Board <u>Prevention Information Line</u> at (604) 276-3100. From outside the Lower Mainland, call toll free in B.C. 1 (800) 661-2112. The number for after hours safety and health emergency reporting (604) 273-7711.

Remember: at School, Home, and On-the-Job, WorkSafe! You're Watching Out for You!

